

KRYSTEXXA (PEGLOTICASE)

INFUSION ORDERS

FAX: 470.922.3656 | **PHONE:** 470.377.6400

PATIENT INFORMATION:	Fax completed form, insurance information, and clinical documentation to 470.922.3656
Patient Name:	DOB: Phone:
Patient Status: ☐ New to Therapy ☐	Continuing Therapy Next Treatment Date:
MEDICAL INFORMATION	
Diagnosis: ☐ Chronic Gouty Ar ☐ Chronic Arthopat ☐ Other:	thropathy w/tophus (tophi) hy w/o mention of tophus (tophi)
ICD-10 Code:	
Weight: lbs Allergies	:
THERAPY ORDER	
Krystexxa Dose: 8mg IV in 250n	nL of NS IV over 120 minutes observed 1 hour post infusion
Frequency: Every 2 weeks	
Refills: ☐ 1 year ☐ Other:	
If you would like Biocare Infusion to dispense the methotrexate, please check appropriate box: Methotrexate 15mg PO weekly x1 year (to begin 4 weeks prior to Krystexxa)	
Protocol Pre-Medication Orders: Solu-Medrol 125mg IV, Benadryl 25mg PO/IV *Patient advised to take antihistamine day before infusion	
Lab Orders: Serum uric acid 24-72 hours prior to infusion ☐ G6PD serum level (required prior to first dose) ☐ Other lab orders:	
Labs: Required labs to be drawn b	by ☐ Infusion Center ☐ Referring Provider
Other orders:	
PROVIDER INFORMATION	
By signing this form and utilizing our services, you are authorizing E agent in dealing with medical and prescription insurance companies	Siocare Infusion, and its employees to serve as your prior authorization and specialty pharmacy designated s, and to select the preferred site of care for the patient
Provider NPI:Phone:	Fax: Contact Person:
	te of care (if checked, please list site of care):
PREFERRED LOCATION	
City: State:	View our locations here:



COMPREHENSIVE SUPPORT FOR

KRYSTEXXA (PEGLOTICASE) THERAPY

PATIENT INFORMATION:	
atient Name: DOB:	
REQUIRED DOCUMENTATION FOR REFERRAL PROCESSING & INSURANCE APPROVAL	
Include signed and completed order (MD/prescriber to complete page 1)	
Include patient demographic information and insurance information	
Include patient's medication list	
☐ Krystexxa Service Request form	
Supporting clinical notes (H&P) to support primary diagnosis	
*Product information suggests the co-administration of weekly oral methotrexate 15mg and folic acid or folinic acid	
supplementation. Krystexxa alone may be used in patients where methotrexate is contraindicated or not clinically appropriate.	
If co-administering with methotrexate, start weekly methotrexate and folic or folinic acid supplementation at least 4 weeks prior to	
initiating, and throughout treatment with Krystexxa*	
☐ Will the patient co-administer methotrexate or other immunomodulation therapy?	
☐ Yes ☐ No If yes, which drug?	
Documentation of frequency and date of flares in the last 18 months (either attach or document here):	
☐ Has the patient tried and failed Allopurinol/Uloric, Colchicine, or Probenecid?	
☐ Yes ☐ No If yes, which drug(s)?	
Labs attached, including	
☐ Baseline serum uric acid (required	
G6PD serum level (required)	
It is recommended that patients discontinue oral urate-lowering medications before starting Krystexxa	
Other medical necessity:	

Biocare Infusion will complete insurance verification and submit all required documentation for approval to the patient's insurance company for eligibility. Our team will notify you if any additional information is required. We will review financial responsibility with the patient and refer him/her to any available co-pay assistance as needed. Thank you for the referral.

Please fax all information to (470) 922-3656 or call (470) 377-6400 for assistance